

References:

Anger et al. (2012). Active case finding and prevention of tuberculosis among a cohort of contacts exposed to infectious tuberculosis cases in New York City. *Clinical Infectious Diseases*, 54(9), 1287-1295.

Center for Disease Control and Prevention. (2014). Fact Sheet. Retrieved from

<http://www.cdc.gov/nchhstp/newsroom/docs/TB-Drug-Resistance-Factsheet.pdf>

Centers for Disease Control and Prevention. (2011). *Introduction to the core curriculum on tuberculosis: What the clinician should know* (5th ed.). Atlanta, Georgia: National Center for HIV/AIDS, Viral Hepatitis, STD, and TB Prevention. Division of Tuberculosis Elimination.

Chorba, T. (2015). Aggregate reports of TB program evaluation. Centers for Disease Control and Prevention.

Faccini et al. (2015). Tuberculosis-related stigma leading to an incomplete contact investigation in a low-incidence country. *Epidemiology of Infections*, 1-8.

Fair et al. (2015). Tuberculosis contact investigation in low- and middle-income countries: Standardized definitions and indicators. *International Journal of Tuberculosis and Lung Disease*, 19(3), 269-272.

Fox, et al. (2015). Barriers to adherence with tuberculosis contact investigation in six provinces of Vietnam: a nested case-control study. *Infectious Diseases*, 15(103), 1-8.

World Health Organization. (2016). Fact Sheet. Retrieved from <http://www.who.int/mediacentre/factsheets/fs104/en/>

World Health Organization. (2014). Global tuberculosis report. Geneva, Switzerland.