

References:

1. Choi J, Hoffman LA, Schulz R, et al. Self-reported physical symptoms in intensive care unit (ICU) survivors: pilot exploration over four months post-ICU discharge. *J Pain Symptom Manage*. 2014;47:257–270.
2. Puntillo KA, Max A, Timsit JF, et al. Determinants of procedural pain intensity in the intensive care unit. The Europain(R) study. *Am J Respir Crit Care Med*. 2014; 189:39–47.
3. Lyngaa T, Christiansen CF, Nielsen H, Neergaard MA, Jensen AB, Laut KG, et al. Intensive care at the end of life in patients dying due to non-cancer chronic diseases versus cancer: A nationwide study in Denmark. *Critical Care*. 2015;19(413):1-9.
4. Puntillo KA, Neuhaus J, Arai S, Paul SM, Gropper MA, Cohen NH, Miaskowski C. Challenge of assessing symptoms in seriously ill intensive care unit patients: Can proxy reporters help? *Crit Care Med*. 2012;40(10):2760-7.
5. Marks M, Arkes H. Patient and Surrogate Disagreement in End-of-Life Decisions: Can Surrogates Accurately Predict Patients' Preferences? *Medical Decision Making*. 2008;28(4):524-31.
6. Engelberg RA, Patrick DL, Curtis JR. Correspondence Between Patients' Preferences and Surrogates' Understandings for Dying and Death. *Journal of Pain and Symptom Management*. 2005;30(6):498-509
7. Ely, E. W., & et al. Monitoring sedation status over time in ICU patients: The reliability and validity of the Richmond Agitation Sedation Scale (RASS). *JAMA*. 2003;289:2983-2991.
8. Ely, E. W., Inouye, S. W., Bernard, G. R., Gordon, S. M., Francis, J., & May, L., & et al. (2001). Delirium in mechanically ventilated patients: Validity and reliability of the confusion assessment method for the intensive care unit (CAM-ICU). *JAMA*, 286:2703-2710.
9. Knaus WA, Wagner DP, Draper EA, et al. The APACHE III prognostic system. Risk prediction of hospital mortality for critically ill hospitalized adults. *Chest*. 1991;100(6):1619-36.
10. Chang, V. T., Hwang, S., Kasimis, B. S., & Thaler, H. T. Shorter symptom assessment instruments: The condensed memorial symptom assessment scale (CMSAS). *Cancer Investigation*. 2004;22(4):526-536.