Title:

Transgender Healthcare

Susana Lagunas, MSN

Indiana Health Center, South Bend, IN, USA Jessica Edmonds, MSN Mosaic Health & Healing Arts , Inc, Goshen, IN, USA

Session Title:

Clinical Posters Session 1

Keywords:

Advanced Practice Initiatives. Evidence Base APRN Practice and Healthcare-Providers

References

American Association of Nurse Practitioners [AANP] (2013). Standards of Practice for Nurse Practitioners. Retrieved from:

http://www.aanp.org/images/documents/publications/standardsofpractice.pdf

American College of Obstetricians and Gynecologists [ACOG] (2011). Health care for transgender individuals [Committee opinion No. 512]. Obstetrics and Gynecology, 118, 1454-1458.

American Foundation for Suicide Prevention. (2014). Suicide attempts among transgender and gender non-conforming adults. Retrieved from http://williamsinstitute.law.ucla.edu/wp-content/uploads/AFSP-Williams-Suicide-Report-Final.pdf

American Psychiatric Association [APA] (2013). Diagnostic and statistical manual of mental disorders (5th ed.). Arlington, VA: American Psychiatric Association.

Conron, K. J., Scott, G., Stowell, G. S., & Landers, S. J. (2011). Transgender health in massachusetts: results from a household probability sample of adults. American Journal of Public Health, 102(1), 118-122. (0.3-0.5% of adult population)

Reisner, S. L., Conron, K. J., Tardiff, L. A., Jarvi, S., Gordon, A. R., & Austin, S. B. (2014). Monitoring the health of transgender and other gender minority populations: validity of natal sex and gender identity survey items in a U.S. national cohort of young adults. BioMed Central Public Health, 14, 1224. doi: 10.1186/1471-2458-14-1224 (0.3-0.5% of adult population)

Collin, L., Reisner, S. L., Tangpricha, V., & Goodman, M. (2016). Prevalence of transgender depends on the "case" definition: A systematic review. Journal of Sexual Medicine, 13(4), 613-626.

Endocrine Society. (2009). Endocrine treatment of transsexual persons: An endocrine society clinical practice guideline. Journal of Clinical Endocrinology and Metabolism, 94(9), 3132-3154. doi: 10.1210/ic.2009-0345

Balen, A. H., Schachter, M. E., Montgomery, D., Reid, R. W., & Jacobs, H. S. (1993) Polycystic ovaries are a common finding in untreated female to male transsexuals. Clinical Endocrinology 38(3), 325-329. Bao, A., & Swaab, D. F. (2011). Sexual differentiation of the human brain: Relation to gender identity, sexual orientation and neuropsychiatric disorders. Frontiers in Neuroendocrinology 32, 214–226. Cantor, J. M. (2011) New MRI Studies Support the Blanchard Typology of Male-to-Female

Cantor, J. M. (2011) New MRI Studies Support the Blanchard Typology of Male-to-Female Transsexualism Archives of Sexual Behavior 40, 863–864.

Coolidge, F. L., Thede, L. L., & Young, S. E. (2002). The heritability of gender identity disorder in a child and adolescent twin sample. Behavior Genetics, 32(4), 251-257.

Dessens, A. B., Cohen-Kettenis, P. T., Mellenbergh, G. J., Poll, N., Koppe, J. G., Boer, K. (1999). Prenatal exposure to anticonvulsants and psychosexual development. Archives of Sexual Behavior, 28(1), 31-44.

Dorner, G., Gotz, F., Rohde, W., Plagemann, A., Lindner, R., Peters, H., & Ghanaati, Z. (2001). Genetic and Epigenetic Effects on Sexual Brain Organization Mediated by Sex Hormones. Neuroendocrinology Letters, 22(6), 403-409.

Emory, L. E., Williams, D. H., Cole, C. M., Amparo, E. G., & Meyer, W. J. (1991). Anatomic variation of the corpus callosum in persons with gender dysphoria. Archives of Sexual Behavior, 20(4), 409-417.

Futterweit, W., Weiss, R. A., & Fagerstrom, R. M. (1986) Endocrine evaluation of forty female-to-male transsexuals: Increased frequency of polycystic ovarian disease in female transsexualism. Archives of Sexual Behavior 15(1), 69-78.

Gooren, L. (2006). The biology of human psychosexual differentiation. Hormones and Behavior 50, 589–601.

Goshen Indiana (2016). Goshen the maple city. Retrieved from GoshenIndiana.org

GraduateNursingEdu.org (2016). APRN definition. Retrieved from

http://www.graduatenursingedu.org/aprn-definition/

Green, R., & Keverne, E. B. (2000). The disparate maternal aunt–uncle ratio in male transsexuals: an explanation invoking genomic imprinting. Journal of Theoretical Biology, 202(1), 55-63.

Green, R. (2000). Family occurrence of "gender dysphoria": Ten sibling or parent–child pairs. Archives of Sexual Behavior, 29(5), 499-507.

Hare, L., Bernard, P., Sanchez, F. J., Baird, P. N., Vilain, E., Kennedy, T., & Harley, V. R. (2009).

Androgen receptor repeat length polymorphism associated with male-to-female transsexualism. Biological Psychiatry 65(1), 93–96.

Hengstschläger, M., van Trotsenburg, M., Repa, C., Marton, E., Huber, J. C., Bernaschek, G. (2003). Sex chromosome aberrations and transsexualism. Fertility and sterility 79(3), 639-640.

Hines, M., Brook, C., & Conway, G. S. (2004). Androgen and psychosexual development: Core gender identity, sexual orientation, and recalled childhood gender role behavior in women and men with congenital adrenal hyperplasia (CAH). Journal of Sex Research, 41(1), 75-81.

Holden, K.B., McGregor, B.S., Blanks, S.H., & Mahaffey, C. (2012). Psychosocial, socio-cultural, and environmental influences on mental health help-seeking among African-American men. JHM. Vol 9, No. 2.

Human Rights Campaign (2016). Finding Insurance for Transgender-Related Healthcare. Retrieved from http://www.hrc.org/resources/finding-insurance-for-transgender-related-healthcare

Indiana University South Bend. (2015). MSN student policy handbook. Retrieved from https://www.iusb.edu/nursing/docs/MSN%20Student%20Handbook%202015 2016.pdf

Jaffee, K., Shires, D. & Stroumsa, D. (2016). Discrimination and delayed healthcare among transgender men and women. Medical Care Vol 16, No. 11.

Khandelwal, A., Agarwal, A., & Jiloha, R. C. (2010). A 47,XXY Female with Gender Identity Disorder. Archives of Sexual Behavior, 39(5), 1021–1023.

Kruijver, F. P. M., Zhou, J., Pool, C. W., Hoffman, M. A., Gooren, L. J. G., & Swaab, D. F. (2000). Male-to-female transsexuals have female neuron numbers in a limbic nucleus. The Journal of Clinical Endocrinology & Metabolism, 85(5), 2034-2041.

Leininger, M. (1995). Transcultural nursing: Concepts, theories, research, and practices. Columbus, OH: McGraw-

Lentini, E., Kasahara, M., Arver, S., & Savic, I. (2013). Sex differences in the human brain and the impact of sex chromosomes and sex hormones. Cerebral Cortex, 23(10), 2322-2336.

Luders, E., Sanchez, F. J., Tosun, D., Shattuck, D. W., Gaser, C., Vilain, E., & Toga, A. W. (2012). Increased cortical thickness in male-to-female transsexualism. Journal of Behavioral Brain Science, 2(3), 357-362

Luders, E., Sanchez, F. J., Gaser, C., Toga, A. W., Narr, K. L., Hamilton, L. S., & Vilain, E. (2009). Regional gray matter variation in male-to-female transsexualism. Neuroimage, 46(4), 904–907. Maier-Lorentz, M. (2008). Transcultural nursing: its importance in nursing practice. Journal of Cultural Diversity, 15(1), 37-43

Marion, L., Douglas, M., Lavin, M., Barr, N., Gazaway, S., Thomas, L., Bickford, C., (November 18, 2016) "Implementing the new ANA Standard 8: Culturally congruent practice" OJIN: The Online Journal of Issues in Nursing Vol. 22 No. 1. DOI: 10.3912/OJIN.Vol22No01PPT20

McEwen, M. & Wills E.M. (2014). Theoretical basis for nursing. Philadelphia: Wolters Kluwer/Lippincott Williams & Wilkins

Mustanski, B., & Liu, R. T. (2013). A longitudinal study of predictors of suicide attempts among lesbian, gay, bisexual, and transgender youth. Archives of Sexual Behavior, 42, 437. doi: 10.1007/s10508-012-0013-9 (hopelessness, victimization, younger age of first same-sex attraction, and low family support strong predictors of suicide attempt)

National Institute of Health [NIH] (2016). Director's message. Retrieved from https://www.nimhd.nih.gov National LGBTQ Task Force. (2016). State legislation. Retrieved from

http://thetaskforce.org/?=State+legislation

National LGBTQ Task Force. (2016). States Nondiscrimination Law in the US. Retrieved from http://www.thetaskforce.org/static_html/downloads/reports/issue_maps/non_discrimination_5_14_color_new.pdf

Rametti, G., Carrillo, B., Gomez-Gil, E., Junque, C., Segovia, S., Gomez, A., & Guillamon, A. (2011). White matter microstructure in female to male transsexuals before cross-sex hormonal treatment. A diffusion tensor imaging study. Journal of Psychiatric Research, 45(2), 199-204.

Rametti, G., Carrillo, B., Gomez-Gil, E., Junque, C., Zubiaurre-Elorza, L., Segovia, S., Gomez, A., Karadi, K., & Guillamon, A. (2012). Effects of androgenization on the white matter microstructure of female-to-male transsexuals. A diffusion tensor imaging study. Psychoneuroendocrinology, 37(8), 1261—1269. Redfern, J. & Sinclair, B. (2014). Improving health care encounters and communication with transgender patients. Journal of Healthcare Communication.

Sadeghi, M., and Fakhrai, A. (2000). Transsexualism in female monozygotic twins: A case report. Australasian Psychiatry, 34(5), 862-864.

Swaab, D.F. (2004). Sexual differentiation of the human brain: relevance for gender identity, transsexualism and sexual orientation. Gynecological Endocrinology, 19(6), 301–312.

Tangpricha, V., & Safer, J. D. (2016). Transgender women: Evaluation and management. In P. J. Snyder, A. M. Matsumoto, & K. A. Martin (Eds.), UpToDate. Retrieved from https://www-uptodate-com.proxysb.uits.iu.edu/contents/transgender-women-evaluation-and-

management?source=search_result&search=transgender%20care&selectedTitle =1~150#H1264194440 United States Department of Health & Human Services. (2014). National health statistics reports: Sexual orientation and health among U.S. Adults: National health interview survey, 2013 [DHHS Publication No. 2014-1250] [NHS Reports No. 77] Retrieved from http://www.cdc.gov/nchs/data/nhsr/nhsr077.pdf Hyattsville, MD: National Center for Health Statistics

United States Census Bureau. (2016). Quick facts Goshen city, Indiana. Retrieved from http://www.census.gov/quickfacts/table/PST045215/1828386,18

White-Hughto, J. M., & Reisner, S. L. (2016). A systematic review of the effects of hormone therapy on psychological functioning and quality of life in transgender individuals. Transgender Health, 1(1), 21-31. doi: 10.1089/trgh.2015.0008

Wilson, J. D. (1999). The role of androgens in male gender role behavior. Endocrine Reviews, 20, 726. doi: 10.1219/edrv.20.5.0377

World Professional Organization for Transgender Health. (2011). Standards of care for the health of transsexual, transgender, and gender nonconforming people. Retrieved from WPATH website: http://www.wpath.org/site_page.cfm?pk_association_webpage_menu =1351

Zhou, J., Hofman, M. A., Gooren, L. J., & Swaab, D. F. (1995). A sex difference in the human brain and its relation to transsexuality. Nature, 378(6552), 68-70.

Zubiaurre-Elorza, L., Junque, C., Gomez-Gil, E., Segovia, S., Carrillo, B., Rametti, G., & Guillamon, A. (2013). Cortical thickness in untreated transsexuals. Cerebral Cortex, 23(12), 2855-2862.

Zucker, K. J., Bradley, S. J., Oliver, G., Blake, J., Fleming, S., & Hood, J. (1996). Psychosexual development of women with congenital adrenal hyperplasia. Hormones and Behavior, 30(4), 300-318.

Abstract Summary:

Using a nursing theory as a guiding framework the family nurse practitioner presents a case study of a transgender client. Core competencies of Advance Nurse Practitioners as well as best evidence practice guidelines that support hormonal therapy initiation and continuation in the transgender client are presented.

Learning Activity:

LEARNING OBJECTIVES	EXPANDED CONTENT OUTLINE
The learner will be able to apply culturally competent care principles to transgender clients.	Culturally competent care of the transgender client

The learner will be able to understand direct application of core education competencies for Advance Care Nurses in the holistic care of clients.	Advance Practice Nursing Core competencies application in the holistic care of transgender clients
The learned will be able to apply Evidence	Current Evidence Base guideline algorithms in
Base Guidelines on the initiation and	the initiation and management of hormonal
continuation of hormonal therapy transgender	therapy initiation and continuation is
healthcare.	presented.

Abstract Text:

Deficits in family practice providers, long wait times, high cost of medical services among other factors negatively impact proper healthcare access to millions of people in this nation. Family nurse practitioners are therefore an essential cost effective solution to expand access of high quality healthcare services to the wide-ranging population.

Nurse practitioners bring to the table a holistic approach when caring for their clients. This holistic approach allows for the formulation of comprehensive patient-centered care plans that take into account the client's environment, available resources, and the personal preferences and needs of the client.

In this case study presentation; patient: Christine Jones is a transgender client who recently moved to a small midwest town and is in need of primary care services along with continuation of hormone therapy to support full transitioning from male into a female anatomy. The Family nurse practitioner, using Madeleine M. Leininger's Theory of Nursing: Cultural Care Diversity and Universality as a framework intertwined with core competencies of the Advance Practice Nurse and current Evidence Base Practice principles in the management of hormonal replacement therapies formulates a holistic healthcare plan individualized for this client. Pathophysiologic theories of gender dysphoria are presented. Diagnosis is made according to the DSM-5 criteria of marked difference between gender identify and assigned gender, persistent beyond six months, and causing clinically significant distress in the social, occupational, or any other functioning impairment. Evidence Based Practice guidelines in the initiation and management of hormonal therapy for transgender individuals are noted. Core competencies of Advance Practice Nursing as an expert clinician, coach, holistic provider and leader are evident by discussing the pathophysiology and etiology of gender dysphoria, formulating a comprehensive and holistic patient-centered care plan taking into account patient preferences and needs along with the available resources within the patient's community, family support, and other factors influencing the health and wellbeing of this client. Annotating how Advance Practice Nurses can influence healthcare policy in order to expand healthcare access to the lesbian, gay, bisexual, transgender, queer/questioning, population demonstrates the leadership ability of the Advance Practice Nurse.